BEAM PULLER AND PANEL PULLER

BEAM PULLER

- Knurled hooks on 4 sides to ensure effective transmission of force in the timber
- With riveted joints in place of welds that could break under stress



CODES AND DIMENSIONS

CODE	description	pcs
SKORPIO	beam puller	1
SKORPIOS	zinc plated spare hook	1
CLAMP1	ratchet for perforated tape	1





MATERIAL

Zinc plated steel hooks. Zinc plated cast steel ratchet with ergonomic PVC handle.

FIELDS OF USE

For the pressure connection of multiple elements consisting of: solid timber, CLT, beams, walls, ceilings. CLAMP1 optional for joining perforated plates and bracings.

INNOVATIVE HOOK WITH KNURLING ON 4 SIDES

rounded stop surface	
holes Ø8 mm	
knurling on 4 sides	
tapered shape	`

REVERSIBLE RATCHET WITH STURDY SLOW PITCH THREAD





LOOSENING

SKORPIO can be easily separated from the timber element with a single blow on the back of the hook.

GEOMETRY

Suitable screws

Holes 1, 3, 7, 8, 10, 11 HBS Ø6 mm, HBS Ø8 mm, LBS Ø7 mm

Holes 2, 9 HBS Ø10 mm, HBS Ø12 mm, VGS Ø11 mm

Holes 4, 5 HBSP Ø6 mm, LBS Ø7 mm

Hole 6 HBSP Ø10 mm

Plate thickness 6 mm



160

CLAMP1 OPTIONAL TENSIONER FOR BRACING



LBB



CLAMP1

Combined with GEKO or SKORPIO, CLAMP1 is the ideal tensioner for every perforated tape. For more information on the perforated tape, go to www.rothoblaas.com



PERFORATED PLATE

With the easy-to-assemble CLAMP1 accessory, it is also possible to tension perforated plates and tapes.